

Out-standing
luxury around
yours...

GVT/PGVT COLLECTION

PRODUCT CATALOGUE



**300x
600mm**

POLISHED
GLAZED VITRIFIED
TILES



The company stands for great inventive & most
aeon with
**perception to bliss
the customers to its
fullest**

a professional tile manufacturer and an experienced exporter located in one of the most prosperous city in Inida called Morbi. We are specialized in production and sale of exclusive tiles collection such as Polished tile, Glazed Porcelain tile and Ceramic tile with Matt Series, High gloss, Rustic series, Wooden strip and full body.

Olwin Tiles India Pvt. Ltd. has won the Brand name for their superior quality product. We Manufacture tiles under strictly control of technical standards about surface abrasion resistance, hardness, square, evenness, colors, water absorption and Deviation, So that it reach International standard. We have quality control system according to International standard and have been certified for ISO 9001.

Olwin Tiles India Pvt. Ltd., We are exporting to multiple countries like Argentina, Taiwan, Brazil, South Africa, Poland, Iceland, Mexico, Lithuania, Sri Lanka, Vietnam, Thailand, Dubai and with cooperation of our international and local marketing team we are approaching to expand our business in locally and globally.

Olwin Tiles India Pvt. Ltd. also keeps sharp eye on their tiles design. We have our own designer who produce beautiful pattern and coloured designs to decorate House, Apartment and office, Hotel and Restaurants, Shop and Trade centre.

Company Vision

Besides the variety of designs and specifications. Always researching innovation is our goal. Our vision is to offer a wide range of innovative world-class quality products and service. Through the timely and professional service it is vital for us to maximize our customer's satisfaction and profitability.

Company Mission

To be successful and most recommended tiles manufacturing company throughout the Indian region by delivering superior quality product. We are committed to follow high standards of performance to meet the client's expectations within the framework of time, trust, responsibility and reliability.

**Adding the precious
beauty in your
space.**

precious qauality with
precious beauty



**300x
600mm**

POLISHED
GLAZED VITRIFIED
TILES

HIGH GLOSSY FINISH
GLOSSY FINISH
MATT FINISH

Optimize ambient ready interior



wall covering

ambient

flooring

its all about the wide
range of finish
**that compliment
your surface**

Finish & technical specification



it is our endeavour
to deliver you
what is terrific yet
comforts the most.

Preserve the values, lead the trends. Olwin does it exactly. The latest vitrified tiles collection offered from the house of Olwin, pioneer in ceramic industry in India. We put all our efforts to be transparent and fair in all our dealings.

Through persistence quality and constant innovations Olwin is renowned and revered among wide customer base and real-estate fraternity. During last few years of continuous expansion and improving Olwin has put across wide range of tiles.

**Balance
the beauty of
surfaces**

**300x
600mm**

POLISHED
GLAZED VITRIFIED
TILES



**MATT
FINISH**
Page 21

**GLOSS
FINISH**
Page 21

**HIGH
GLOSS
FINISH**
Page 21



300x
600mm

POLISHED
GLAZED VITRIFIED
TILES

GLOSSY
FINISH



GLOSSY
FINISH




RANDOM
DESIGNS




3mm JOINT
RECOMMENDED

olwingranito.com




SPECTRUM SATUARIO




ELEGANCE SATUARIO




CITY SATUARIO




MARBLE WHITE




PLANITO WHITE



L 6049




COSMOS WHITE




CLASSIC ONYX GREY




DUTCH ICE WHITE



ELECTRA BEIGE




MARFIL CREMA



BOTTOCHINO CREMA




QUBBA BIANCO



QUBBA CREAM



GALALA LITE




SHOFIA IVORY



MARBELLA BEIGE



MARBELLA GREY



INSPERIA GREY




INSPERIA BLACK




SWANA GREY



TESLA GREY




DYNA CROSSA



DYNA AURORA



DYNA BROWN



AURORA GOLD



ROCKET CREAM



ROCKET GREY




CARNICO BEIGE



CARNICO BROWN



CARNICO GREY



BLUE RIVER



CREMA TRAVERTINO



JAXON TRAVERTINO GREY



MARMO GRIS




ESTILA LITE



ESTILA BEIGE



ESTILA BROWN



WHITE PORTORO



**300x
600mm**
POLISHED
GLAZED VITRIFIED
TILES

**GLOSSY
FINISH**



GLOSSY
FINISH



RANDOM
DESIGNS



3mm JOINT
RECOMMENDED

olwingranito.com



300x
600mm

POLISHED
GLAZED VITRIFIED
TILES

MATT
FINISH



MATT
FINISH



RANDOM
DESIGNS




3mm JOINT
RECOMMENDED

olwingranito.com



AZUL GREEN



AZUL BIANCO



CORTE CREMA



CORTE CHOCCO



CORTE GREY



CORTE NERO



AZUL CREAM



AZUL BROWN



AZUL COFFEE



AZUL DARK



MALRUX COTTO




MALRUX BROWN



MALRUX GREY




MALRUX BLACK



ANTICO BROWN



ANTICO CHOCCO



ANTICO BIANCO



ANTICO NERO



RICH WOOD BEIGE



RICH WOOD ASH



RICH WOOD BROWN



RICH WOOD WENGE



TEMPO WOOD CREAM



TEMPO WOOD BROWN



MOON WOOD BEIGE



MOON WOOD CHOCO



MOON WOOD RUST



MOON WOOD SMOKE



MOON WOOD ASH



MOON WOOD WENGE



KALPVUKSH GOLD




ROVER WOOD BEIGE



ROVER WOOD BROWN




ROVER WOOD ORANGE



PAM WOOD CREMA



PAM WOOD BROWN



SISAM WOOD BROWN



**300x
600mm**

POLISHED
GLAZED VITRIFIED
TILES

**MATT
FINISH**



MATT
FINISH



RANDOM
DESIGNS



3mm JOINT
RECOMMENDED

olwingranito.com

Technical Specifications

Technical Specifications	ISO 13006/EN 14411 Gr. Bla	MEAN VALUE OF OLWIN	Method of Teasting
Deviation in Length & Width	± 0.6%	± 0.2%	ISO 10545-2
Deviation in Thickness	± 5.0%	± 4.0%	ISO 10545-2
Straightness of Sides	± 0.5%	± 0.2%	ISO 10545-2
Rectangularity	± 0.6%	± 0.2%	ISO 10545-2
Surface Flatness	± 0.5%	± 0.2%	ISO 10545-2
Surface Quality	Min. 95%	Min. 95%	ISO 10545-2
Water Absorption	< 0.5%	< 0.5%	ISO 10545-3
Flexural Strength (Avg MOR)	> 35 N/mm2	> 35 N/mm2	ISO 10545-4
Scratch Hardness of Surface (Moh's Scale)	> 3	> 3	EN 10
Resistance to Surface Abrasion (PEI)	PEI I-V	Meets & Exceeds Specs.	ISO 10545-7
Crazing Resistance	2 Cycles	Meets & Exceeds Specs.	ISO 10545-11
Linear Thermal Expansion	<9 x 10 ⁻⁶ K ⁻¹	<9 x 10 ⁻⁶ K ⁻¹	ISO 10545-8
Thermal Shock Resistance	No Damage	No Damage	ISO 10545-9
Resistance to Household Chemicals	Resistant	Resistant	ISO 10545-13
Resistance to Staining	Resistant	Resistant	ISO 10545-14
Breaking Strength	> 1300 N	Meets & Exceeds Specs.	ISO 10545-4
Colour Resistance to UV Light	Resistant	Resistant	DIN 51094
Frost Resistance	Frost Proof	Frost Proof	ISO 10545-12



PACKING DETAIL

Size	Thickness (approx)	No. of Tiles / Box	Coverage Area (sq. mtr.)	Coverage Area (sq. ft.)	Wt. / Box (approx)
30x60cm	8.5 mm	6 pcs.	1.08 sq. mtr.	11.30 sq. ft.	20.50 kgs.

Note: Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.



OLWIN TILES (INDIA) PVT. LTD.

Manufacturing :
Double Charge Vitrified Tiles
& Glazed Vitrified Tiles

8-A, N/H, New Jambudia,
Morbi - 363 642, Gujarat, India

Cell : +91 94284 66116
E-mail : sales@olwingranito.com
export@olwingranito.com

olwingranito.com